


THE ROLLUX **BOOK**


Tejidos para persianas enrollables

THE ROLLUX **BOOK**

Tejidos para persianas enrollables

Selecciona una colección para ver su contenido





@VertiluxMéxico

Todos nuestros distribuidores trabajan con tejidos, componentes y motores VERTILUX si alguien te ofrece un producto diferente al que deseas o un producto que no es VERTILUX repórtalo, la satisfacción de nuestros clientes es primero.

Copyright © 2023. Todos los derechos reservados.

vertilux.mx



THE ROLLUX **BOOK**

Tejidos para persianas enrollables

COLECCIÓN BLACKOUT

Blackout Decorative

INICIO

THE ROLLUX **BOOK**

COLECCIÓN BLACKOUT

6 TOLEDO BLACKOUT

10 VELVET BLACKOUT

16 SINGULAR BLACKOUT

22 NEW PINPOINTE BLACKOUT FR

28 DAKU BLACKOUT

34 CAPTIVA BLACKOUT

40 STUCCO BLACKOUT

46 DAKAR BLACKOUT

50 IMAGINE BLACKOUT FR SANITIZED

54 PREMIUM PLUS BLACKOUT FR

60 BIMINI BLACKOUT

68 SOUTH BEACH BLACKOUT

74 LANAIR BLACKOUT

78 SUNSET BLACKOUT

14
MODELOS

99
COLORES

Todos nuestros distribuidores trabajan con tejidos, componentes y motores VERTILUX si alguien te ofrece un producto diferente al que deseas o un producto que no es VERTILUX repórtalo, la satisfacción de nuestros clientes es primero.

Copyright © 2023. Todos los derechos reservados.



TOLEDO BLACKOUT

The Ultimate Blackout Collection

COLECCIÓN BLACKOUT

Blackout Decorative

INICIO

TOLEDO BLACKOUT




MARQUEDA 0-002-C5-90298


TOLEDO BLACKOUT




OROPESA 0-002-C5-10098



SAN SERVANDO 0-002-C5-10198



ALCAZAR 0-002-C5-40598



CONSUEGRA 0-002-C5-40798

Blackout | Decorative

INICIO

INTIMATE

TOLEDO BLACKOUT

VERTILUX
IDEAS PARA TU ESPACIO

TECHNICAL PROPERTIES

Composition	100% PES
Weight	380 g/m² ± 5% | 11.20 oz/yd² ± 5%
Thickness	0.60 mm ± 5% | 0.024 in ± 5%
Roll Width	2.50 m | 98 in
Roll Length	30 m | 33 yd
UV Blockage	100%
Light Fastness	Class 5

*Performance evaluations conducted by independent laboratories.

CARE & MAINTENANCE

1. Wipe gently with a wet sponge with cold water.
2. Do not vacuum.
3. Do not wring dry.
4. Do not bleach.
5. Do not dry clean nor use steam cleaning.

MANUFACTURING

Use Only on Roll Direction

COLD

Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100
11.HTR.96766 HOHENSTEIN HTTI

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS

Roller Shades

Sliding Panels

Indoor Use Only

IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.






VELVET BLACKOUT

The Ultimate Blackout Collection

COLECCIÓN BLACKOUT

VELVET BLACKOUT




SMOKE 0-002-C6-00798

VELVET BLACKOUT

WHITE 0-002-C6-00198

OFF WHITE 0-002-C6-00298

IVORY 0-002-C6-00398




CAMEL 0-002-C6-00498


Blackout Decorative

INICIO

VELVET BLACKOUT



STONE 0-002-C6-00598



TRUFFLE 0-002-C6-00898



GRAPEFUL MIST 0-002-C6-00698

NIGHTFALL VELVET BLACKOUT

VERTILUX
IDEAS PARA TU ESPACIO

TECHNICAL PROPERTIES

Composition	100% PES
Weight	330 g/m² ± 5% | 9.7 oz/yd² ± 5%
Thickness	0.55 mm ± 5% | 0.021 in ± 5%
Coating	Foamed Backing
Roll Width	2.5 m | 98 in
Roll Length	30 m | 33 yd
UV Blockage	100%
Light Fastness	Class 6-7

*Performance evaluations conducted by independent laboratories.

CARE & MAINTENANCE

1. Vacuum clean for regular maintenance.
2. Do not use soap solution nor a damp cloth.
3. Do not wash.
4. Do not wring dry.
5. Do not bleach.
6. Do not dry clean nor use steam cleaning.

MANUFACTURING

Use Only on Roll Direction

COLD

Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100 11.HTR.96766 HOHENSTEIN HTTI

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS

Roller Shades

Sliding Panels

Indoor Use Only



IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.


Blackout | Decorative

INICIO

VERTILUX
IDEAS PARA TU ESPACIO



THE ROLLUX **BOOK**



SINGULAR BLACKOUT


The Ultimate Blackout Collection

COLECCIÓN BLACKOUT

Blackout Decorative

INICIO


SINGULAR BLACKOUT



LIGHT GREY 0-002-62-10210


SINGULAR BLACKOUT

WHITE 0-002-62-01210




SAND 0-002-62-04210

LINEN 0-002-62-02210




IVORY 0-002-62-03210

SINGULAR BLACKOUT



DARK GREY 0-002-62-11210



BLACK 0-002-62-09210



MUSHROOM 0-002-62-06210



CHOCOLATE 0-002-62-08210

INTIMATE
SINGULAR BLACKOUT 2800

VERTILUX
IDEAS PARA TU ESPACIO

TECHNICAL PROPERTIES

Composition	100% PES
Weight	385 g/m² ± 5% | 11.3 oz/yd² ± 5%
Thickness	0.40 mm ± 5% | 0.016 in ± 5%
Roll Width	2.8 m | 110.2 in
Roll Length	25 m | 27.34 yd
UV Blockage	100%
Light Fastness	5 Xenotest Grade

*Performance evaluations conducted by independent laboratories.

CARE & MAINTENANCE

1. Vacuum clean for regular maintenance.
2. Do not wash.
3. Do not wring dry.
4. Do not bleach.
5. Do not dry clean nor use steam cleaning.

MANUFACTURING

Use Only on Roll Direction

COLD
Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS

Roller Shades

Sliding Panels

Indoor Use Only



IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.

VERTILUX
IDEAS PARA TU ESPACIO

THE ROLLUX **BOOK**

COLECCIÓN BLACKOUT

Vertilux México

Copyright © 2023. Todos los derechos reservados.



NEW PINPOINTE BLACKOUT FR

The Ultimate Blackout Collection

COLECCIÓN BLACKOUT

Blackout Decorative

INICIO

NEW PINPOINTE BLACKOUT FR

LIGHT GREY 0-002-67-91072 | 91098

NEW PINPOINTE BLACKOUT FR

WHITE/SNOW FLAKES 0-002-67-90072 | 90098

FAWN/OFF WHITE 0-002-67-93472 | 93498

BEIGE/BISQUE 0-002-67-93372 | 93398




STONE 0-002-67-94672 | 94698

Blackout Decorative

INICIO

NEW PINPOINTE BLACKOUT FR



BLACK 0-002-67-93172 | 93198

NIGHTFALL

NEW PINPOINTE BLACKOUT FR

VERTILUX
IDEAS PARA TU ESPACIO

TECHNICAL PROPERTIES

Composition	65% PVC + 35% PES
Weight	470 g/m² ± 5% | 13.86 oz/yd² ± 5%
Thickness	0.33 mm ± 5% | 0.013 in ± 5%
Roll Width	1.83 m & 2.5 m | 72 in & 98 in
Roll Length	25 m | 27 yd
UV Blockage	100%
Light Fastness	4 Xenotest Grade
Flame Retardant	NFPA 701

*Performance evaluations conducted by independent laboratories.

CARE & MAINTENANCE

1. Hand wash with cold water and a mild 5% detergent solution.
2. Wipe gently with a wet sponge.
3. Vacuum clean for regular maintenance.
4. Do not wring dry.
5. Do not bleach.
6. Do not dry clean nor use steam cleaning.

MANUFACTURING

Use Only on Roll Direction

COLD
Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS

Roller Shades

Sliding Panels

Indoor Use Only

Visita nuestro blog
Ideas para tu espacio
Ir ahora ▶

IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.

Blackout | Decorative

INICIO

VERTILUX
IDEAS PARA TU ESPACIO





DAKU BLACKOUT


The Ultimate Blackout Collection

COLECCIÓN BLACKOUT

Blackout Decorative

INICIO


DAKU BLACKOUT



SILVER 0-002-11-03104

DAKU BLACKOUT

WHITE 0-002-11-01104



ASPHALT 0-002-11-06104



STONE 0-002-11-04104



IVORY 0-002-11-02104

Blackout Decorative

INICIO

DAKU BLACKOUT



BUCKWHEAT 0-002-11-05104

INTIMATE
DAKU BLACKOUT

VERTILUX
IDEAS PARA TU ESPACIO

TECHNICAL PROPERTIES

Composition	100% PES
Weight	356 g/m² ± 12% I 10.50 oz/yd² ± 12%
Thickness	0.6 mm ± 10% I 0.024 in ± 10%
Roll Width	2.65 m I 104.3 in
UV Blockage	100 %
Light Fastness	Coated Side: 6-7/8

*Performance evaluations conducted by independent laboratories.

CARE & MAINTENANCE

1. Vacuum clean for regular maintenance.
2. Do not wash.
3. Do not wring dry.
4. Do not bleach.
5. Do not dry clean nor use steam cleaning.

MANUFACTURING

Can be Railroaded

COLD

Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS

Roller Shades

Sliding Panels

Indoor Use Only

Visita nuestro blog
Ideas para tu espacio
Ir ahora ►

IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.


VERTILUX
IDEAS PARA TU ESPACIO

THE ROLLUX **BOOK**

COLECCIÓN BLACKOUT

Vertilux México

Copyright © 2023. Todos los derechos reservados.



CAPTIVA BLACKOUT

The Ultimate Blackout Collection

COLECCIÓN BLACKOUT

Blackout Decorative

INICIO

CAPTIVA BLACKOUT



GREY 0-002-14-00600

CAPTIVA BLACKOUT



SAND 0-002-14-00500



IVORY 0-002-14-00200



WHITE 0-002-14-00100




COFFEE 0-002-14-00900

CAPTIVA BLACKOUT



TAN 0-002-14-00700



PEBBLES 0-002-14-00400



BUCKWHEAT 0-002-14-00300



STONE 0-002-14-00800

INTIMATE
CAPTIVA BLACKOUT

VERTILUX
IDEAS PARA TU ESPACIO

TECHNICAL PROPERTIES

Composition	100% PES
Weight	390 g/m² ± 5% | 11.50 oz/yd² ± 5%
Thickness	0.58 mm ± 5% | 0.023 in ± 5%
Roll Width	3.0 m | 118 in
Roll Length	30 m | 32.81 yd
UV Blockage	100%
Light Fastness	Class 5

*Performance evaluations conducted by independent laboratories.

CARE & MAINTENANCE

1. Wipe gently with a wet sponge.
2. Vacuum clean for regular maintenance.
3. Do not wash.
4. Do not wring dry.
5. Do not bleach.
6. Do not dry clean nor use steam cleaning.

MANUFACTURING

Use Only on Roll Direction

COLD
Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS

Roller Shades

Sliding Panels

Indoor Use Only



IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.

Blackout | Decorative

INICIO

VERTILUX
IDEAS PARA TU ESPACIO



THE ROLLUX **BOOK**



STUCCO BLACKOUT


The Ultimate Blackout Collection

COLECCIÓN BLACKOUT

Blackout Decorative

INICIO

STUCCO BLACKOUT



STONE 0-002-96-06110

STUCCO BLACKOUT

WHITE 0-002-96-01110

OFF WHITE 0-002-96-02110



LINEN 0-002-96-03110




SAND 0-002-96-04110

Blackout Decorative

INICIO

STUCCO BLACKOUT



MOCHA 0-002-96-05110

INTIMATE
STUCCO BLACKOUT

VERTILUX
IDEAS PARA TU ESPACIO

TECHNICAL PROPERTIES

Composition	100% PES Base Cloth, Foamed Backing
Weight	360 g/m² ± 5% | 10.62 oz/yd² ± 5%
Thickness	0.48 mm ± 5% | 0.019 in ± 5%
Roll Width	2.8 m | 110 in
Tensile Strength	Warp: 860 daN/5cm ± 100 | Weft: 990 daN/5cm ± 100
Tearing Strength	Warp: 140 daN ± 30 | Weft: 230 daN ± 30
UV Blockage	100%
Light Fastness	Class 4-5

*Performance evaluations conducted by independent laboratories.

CARE & MAINTENANCE



1. Vacuum clean for regular maintenance.
2. Do not wash.
3. Do not wring dry.
4. Do not bleach.
5. Do not dry clean nor use steam cleaning.

MANUFACTURING



Use Only on Roll Direction

Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS



The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS



Roller Shades

Sliding Panels

Indoor Use Only



IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.

VERTILUX
IDEAS PARA TU ESPACIO

THE ROLLUX **BOOK**

COLECCIÓN BLACKOUT

Vertilux México

Copyright © 2023. Todos los derechos reservados.




DAKAR BLACKOUT

The Ultimate Blackout Collection

COLECCIÓN BLACKOUT

DAKAR BLACKOUT



SLATE 0-002-35-06110

DAKAR BLACKOUT

OFF WHITE 0-002-35-01110



BEIGE 0-002-35-03110



TRAVERTINE 0-002-35-04110

INTIMATE

DAKAR BLACKOUT

VERTILUX
IDEAS PARA TU ESPACIO

TECHNICAL PROPERTIES

Composition	100% PES
Weight	390 g/m² ± 5% | 11.50 oz/yd² ± 5%
Thickness	0.70 mm ± 5% | 0.028 in ± 5%
Roll Width	2.8 m | 110 in
UV Blockage	100%
Light Fastness	4 - 5

*Performance evaluations conducted by independent laboratories.

CARE & MAINTENANCE

1. Wipe gently with a wet sponge.
2. Vacuum clean for regular maintenance.
3. Do not wash.
4. Do not wring dry.
5. Do not bleach.
6. Do not dry clean nor use steam cleaning.

MANUFACTURING

Use Only on Roll Direction

COLD

Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS

Roller Shades

Sliding Panels

Indoor Use Only

IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.





IMAGINE BLACKOUT FR SANITIZED


The Ultimate Blackout Collection

COLECCIÓN BLACKOUT

Blackout Decorative


INICIO

IMAGINE BLACKOUT FR SANITIZED



SMOKE 0-002-82-16114

IMAGINE BLACKOUT FR SANITIZED



DOVE 0-002-82-13114



BEIGE 0-002-82-15114

Blackout | Decorative

INICIO

NIGHTFALL

IMAGINE BLACKOUT FR SANITIZED

VERTILUX
IDEAS PARA TU ESPACIO

TECHNICAL PROPERTIES

Composition	100% PES
Weight	346 g/m² ± 12% | 10.2 oz/yd² ± 12%
Thickness	0.40 mm ± 10% | 0.016 in ± 10%
Roll Width	2.65 m | 104.3 in
UV Blockage	100%
Light Fastness	Coated Side: 6-7/8 Xenotest Grade
Flame Retardant	DIN 4102-1: B1
	NFPA 701: Pass
	EN 13501-1: Bs2d0
	EN 13773: Class 1
Wheelmark	IMO Resolution MSC.307(88)-(2010 FTP Code) and IMO MSC/Circ. 1102: Pass

*Performance evaluations conducted by independent laboratories.

CARE & MAINTENANCE



1. Vacuum clean for regular maintenance.
2. Do not use soap solution nor a damp cloth.
3. Do not wash.
4. Do not wring dry.
5. Do not bleach.
6. Do not dry clean nor use steam cleaning.

MANUFACTURING



Use Only on Roll Direction

Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS



The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS



Roller Shades

Sliding Panels

Indoor Use Only



IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.



PREMIUM PLUS BLACKOUT FR


The Ultimate Blackout Collection

COLECCIÓN BLACKOUT

Blackout Decorative

INICIO

PREMIUM PLUS BLACKOUT FR



STONE GREY 0-002-70-94672 | 94696 | 63-65118

PREMIUM PLUS BLACKOUT FR

SNOW FLAKES 0-002-70-96072 | 96096 | 96018

OFF WHITE 0-002-70-93472 | 93496 | 93418


BISQUE 0-002-70-93372 | 93396 | 93318

BEIGE 0-002-70-92172 | 92196 | 92118


Blackout Decorative

INICIO

PREMIUM PLUS BLACKOUT FR



LIGHT GREY 0-002-70-90972 | 90996 | 90918



BLACK 0-002-70-93172 | 93196 | 93118

NIGHTFALL

PREMIUM PLUS BLACKOUT FR

VERTILUX
IDEAS PARA TU ESPACIO

TECHNICAL PROPERTIES

Composition	70% PVC + 30% Fiberglass
Weight	550 g/m² ± 5% | 16.22 oz/yd² ± 5%
Thickness	0.38 mm ± 5% | 0.015 in ± 5%
Roll Width (Each width has its own price level)	1.83 m, 2.44 m & 3.0 m | 72 in, 96 in & 118 in
UV Blockage	100%
Light Fastness	>4.5 Xenotest Grade
Flame Retardant	NFPA 701

*Performance evaluations conducted by independent laboratories.

CARE & MAINTENANCE

1. Hand wash with cold water and a mild 5% detergent solution.
2. Wipe gently with a wet sponge.
3. Vacuum clean for regular maintenance.
4. Do not wring dry.
5. Do not bleach.
6. Do not dry clean nor use steam cleaning.

MANUFACTURING

Can be Railroaded

COLD

Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

NFPA

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS

Roller Shades

Sliding Panels

Indoor Use Only

Visita nuestro blog
Ideas para tu espacio
Ir ahora ►

IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.

VERTILUX
IDEAS PARA TU ESPACIO

THE ROLLUX **BOOK**

COLECCIÓN BLACKOUT

Vertilux México

Copyright © 2023. Todos los derechos reservados.



BIMINI BLACKOUT


The Ultimate Blackout Collection

COLECCIÓN BLACKOUT

Blackout Decorative

INICIO

BIMINI BLACKOUT



ASH 0-002-19-00598

BIMINI BLACKOUT

WHITE 0-002-19-00198

IVORY 0-002-19-00298


SAND 0-002-19-01798

LINEN 0-002-19-00398


Blackout Decorative

INICIO


BIMINI BLACKOUT



BEIGE 0-002-19-02298



STONE 0-002-19-00998




NAVY 0-002-19-01998




CHOCOLATE 0-002-19-00698


BIMINI BLACKOUT




SKY BLUE 0-002-19-02398



ROYAL BLUE 0-002-19-01598



BLACK 0-002-19-00798



LIGHT GREY 0-002-19-01898


Blackout Decorative

INICIO


BIMINI BLACKOUT



GRAPE 0-002-19-01298



MAUVE 0-002-19-01398



FRESH GREEN 0-002-19-02198



RED 0-002-19-02098

NIGHTFALL

BIMINI BLACKOUT

VERTILUX
IDEAS PARA TU ESPACIO

TECHNICAL PROPERTIES

Composition	100% PES
Weight	355 g/m² ± 5% | 10.47 oz/yd² ± 5%
Thickness	0.51 mm ± 5% | 0.020 in ± 5%
Roll Width	2.5 m | 98 in
UV Blockage	100%

*Performance evaluations conducted by independent laboratories.

CARE & MAINTENANCE

1. Vacuum clean for regular maintenance.
2. Do not use soap solution nor a damp cloth.
3. Do not wash.
4. Do not wring dry.
5. Do not bleach.
6. Do not dry clean nor use steam cleaning.

MANUFACTURING

Use Only on Roll Direction

COLD

Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS

Roller Shades

Sliding Panels

Indoor Use Only



IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.

Blackout | Decorative

INICIO

VERTILUX
IDEAS PARA TU ESPACIO



THE ROLLUX **BOOK**



SOUTH BEACH BLACKOUT


The Ultimate Blackout Collection

COLECCIÓN BLACKOUT

Blackout Decorative

INICIO


SOUTH BEACH BLACKOUT



STONE 0-002-93-01698


SOUTH BEACH BLACKOUT

PURE WHITE 0-002-93-01998




IVORY 0-002-93-00398

WHITE 0-002-93-00198




BEIGE 0-002-93-00498


SOUTH BEACH BLACKOUT



SAND 0-002-93-00598



CHOCOLATE 0-002-93-00898



EBONY 0-002-93-01798

NIGHTFALL
SOUTH BEACH BLACKOUT

VERTILUX
IDEAS PARA TU ESPACIO

TECHNICAL PROPERTIES

Composition	100% PES
Weight	390 g/m² ± 5% | 11.5 oz/yd² ± 5%
Thickness	0.50 mm ± 5% | 0.020 in ± 5%
Roll Width	2.5 m | 98 in
Coating	Acrylic Foam Blackout Coating
UV Blockage	100%
Light Fastness	Class 4-5 (AATCC 16-2003)

*Performance evaluations conducted by independent laboratories.

CARE & MAINTENANCE

1. Vacuum clean for regular maintenance.
2. Do not use soap solution nor a damp cloth.
3. Do not wash.
4. Do not wring dry.
5. Do not bleach.
6. Do not dry clean nor use steam cleaning.

MANUFACTURING

Use Only on Roll Direction

COLD
Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS

Roller Shades

Sliding Panels

Indoor Use Only



IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.

VERTILUX
IDEAS PARA TU ESPACIO

THE ROLLUX **BOOK**

COLECCIÓN BLACKOUT

Vertilux México

Copyright © 2023. Todos los derechos reservados.




LANAIR BLACKOUT

The Ultimate Blackout Collection

COLECCIÓN BLACKOUT

LANAIR BLACKOUT




LIGHT GRAY 0-002-99-03118

LANAIR BLACKOUT

WHITE 0-002-99-01118

BEIGE 0-002-99-02118



IVORY 0-002-99-04118

NIGHTFALL

LANAIR BLACKOUT

VERTILUX
IDEAS PARA TU ESPACIO

TECHNICAL PROPERTIES

Composition	100% PES Base Cloth, Foamed Backing
Weight	300 g/m² ± 5% | 8.85 oz/yd² ± 5%
Thickness	0.35 mm ± 5% | 0.014 in ± 5%
Roll Width	3.0 m | 118 in
Tensile Strength	Warp: 1180 daN/5cm ± 100 | Weft: 1150 daN/5cm ± 100
Tearing Strength	Warp: 185 daN ± 30 | Weft: 175 daN ± 30
UV Blockage	100%
Light Fastness	Class 4 - 5

*Performance evaluations conducted by independent laboratories.

CARE & MAINTENANCE



1. Vacuum clean for regular maintenance.
2. Do not use soap solution nor a damp cloth.
3. Do not wash.
4. Do not wring dry.
5. Do not bleach.
6. Do not dry clean nor use steam cleaning.

MANUFACTURING



Use Only on Roll Direction


Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS



The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS



Roller Shades

Sliding Panels

Indoor Use Only

IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.






SUNSET BLACKOUT

The Ultimate Blackout Collection

COLECCIÓN BLACKOUT


SUNSET BLACKOUT




LIGHT GREY 0-002-17-06118

SUNSET BLACKOUT

IVORY 0-002-17-02118 | 0-002-17-02098



BEIGE 0-002-17-03118



BLACK 0-002-17-08118




LATTE 0-002-17-04118

Blackout Decorative

INICIO

SUNSET BLACKOUT

WHITE 0-002-17-01118 | 0-002-17-01098



DARK GREY 0-002-17-07118

NIGHTFALL
SUNSET BLACKOUT

VERTILUX
IDEAS PARA TU ESPACIO

TECHNICAL PROPERTIES

Composition	100% PES
Weight	400 g/m² ± 5% | 11.8 oz/yd² ± 5%
Thickness	0.48 mm ± 5% | 0.019 in ± 5%
Coating	Acrylic Foam Blackout Coated
Roll Width	All Colors: 3.0 m | 118 in White & Ivory: also available in 2.5 m | 98 in
UV Blockage	100%
Light Fastness	≥5

*Performance evaluations conducted by independent laboratories.

CARE & MAINTENANCE

1. Hand wash with cold water and a mild 5% detergent solution.
2. Wipe gently with a wet sponge.
3. Vacuum clean for regular maintenance.
4. Do not wring dry.
5. Do not bleach.
6. Do not dry clean nor use steam cleaning.

MANUFACTURING

Use Only on Roll Direction

COLD
Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS

Roller Shades

Sliding Panels

Indoor Use Only



IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.

Blackout | Decorative

INICIO

VERTILUX
IDEAS PARA TU ESPACIO



THE ROLLUX **BOOK**

VERTILUX

IDEAS PARA TU ESPACIO

THE ROLLUX **BOOK**

COLECCIÓN BLACKOUT

Vertilux México

Copyright © 2023. Todos los derechos reservados.

THE ROLLUX **BOOK**

COLECCIÓN BLACKOUT

VERTILUX

IDEAS PARA TU ESPACIO



THE ROLLUX **BOOK**

Tejidos para persianas enrollables

COLECCIÓN DECORATIVE

THE ROLLUX **BOOK**

COLECCIÓN DECORATIVE

88 DUNE

92 GIANTS

96 MOD

100 DAKU

104 ASPEN FR

108 TOUAREG

112 XANDER

118 SHANTUNG

124 IBIZA

128 BIMINI

134 SOUTH BEACH

11
MODELOS

55
COLORES

Todos nuestros distribuidores trabajan con tejidos, componentes y motores VERTILUX si alguien te ofrece un producto diferente al que deseas o un producto que no es VERTILUX repórtalo, la satisfacción de nuestros clientes es primero.

Copyright © 2023. Todos los derechos reservados.



DUNE

DECORATIVE

COLECCIÓN DECORATIVE

Blackout Decorative

INICIO

DUNE



COFFEE 0-002-E3-00360

DUNE



CONCRETE 0-002-E3-00460



CRUDO 0-002-E3-00160

Blackout Decorative

INICIO

DECORATIVE
DUNE

VERTILUX
IDEAS PARA TU ESPACIO

PROPIEDADES TÉCNICAS

Composición	63.1% PES + 32.4% PES reciclado + 4.5% Lino
Peso	145 g/m² ± 5% | 5.11 oz/yd² ± 5%
Grosor	0.39 mm ± 5% | 0.015 in ± 5%
Ancho de rollo	2.7 m | 106 in
Largo de rollo	30 m | 32.80 yd
Resistencia a la luz ISO 105 B02:2002	4 Crudo; 7-8 Coffee; 6 Concrete

CUIDADO Y MANTENIMIENTO

1. Aspirado para mantenimiento regular.
2. No lavar.
3. No exprimir.
4. No usar secadora o sistemas de vapor.
5. Limpie suavemente con una esponja húmeda.

MANUFACTURA

Fabricación en el sentido del rollo.

COLD

Corte en frío, No requiere corte ultrasónico.

CERTIFICACIONES INTERNACIONALES

CONFIDENCE IN TEXTILES
Tested for harmful substances
according to Oeko-Tex® Standard 100
2005AN5584 AITEX

The Vertilux Collection posee las certificaciones más importantes de la industria. Sin embargo, algunas de ellas no aplican en todos los tejidos de nuestra colección. Por favor comuníquese a nuestro departamento de Servicio al Cliente para conocer sobre los diversos certificados disponibles para nuestros tejidos.

APLICACIONES

Persianas enrollables

Panel japonés

Únicamente para uso interior

Visita nuestro blog
Ideas para tu espacio
Ir ahora ▶

IMPORTANTE: Los valores y recomendaciones de esta tarjeta no son contractuales y no pueden utilizarse como reclamación para cancelaciones o devoluciones de pedidos. Estos datos técnicos pueden variar con el tiempo sin previo aviso. Las muestras de color aquí presentadas pueden no ser exactas al material usado para producir su pedido. No serán aceptadas devoluciones por variación mínima de color o textura.



GIANTS


DECORATIVE

COLECCIÓN DECORATIVE

Blackout Decorative


INICIO

GIANTS



ONIX 0-002-E4-00360

GIANTS



NACAR 0-002-E4-00260



JADE 0-002-E4-00160

Blackout | Decorative

INICIO

DECORATIVE GIANTS

VERTILUX
IDEAS PARA TU ESPACIO

PROPIEDADES TÉCNICAS

Composición	54% PES + 46% PES reciclado
Peso	209 g/m² ± 5%
Grosor	0.40 mm ± 5% | 0.015 in ± 5%
Ancho de rollo	2.5 m | 98 in
Largo de rollo	30 m | 32.80 yd
Resistencia a la luz ISO 105 B02:2002	5-6 Onix; 6 Jade; 6 Nacar

CUIDADO Y MANTENIMIENTO

1. Aspirado para mantenimiento regular.
2. No lavar.
3. No exprimir.
4. No usar secadora o sistemas de vapor.
5. Limpie suavemente con una esponja húmeda.

MANUFACTURA

Fabricación en el sentido del rollo.

COLD

Corte en frío, No requiere corte ultrasónico.

CERTIFICACIONES INTERNACIONALES

CONFIDENCE IN TEXTILES
Tested for harmful substances
according to Oeko-Tex® Standard 100
2005AN5584 AITEX

The Vertilux Collection posee las certificaciones más importantes de la industria. Sin embargo, algunas de ellas no aplican en todos los tejidos de nuestra colección. Por favor comuníquese a nuestro departamento de Servicio al Cliente para conocer sobre los diversos certificados disponibles para nuestros tejidos.

APLICACIONES

Persianas enrollables

Panel japonés

Únicamente para uso interior

IMPORTANTE: Los valores y recomendaciones de esta tarjeta no son contractuales y no pueden utilizarse como reclamación para cancelaciones o devoluciones de pedidos. Estos datos técnicos pueden variar con el tiempo sin previo aviso. Las muestras de color aquí presentadas pueden no ser exactas al material usado para producir su pedido. No serán aceptadas devoluciones por variación mínima de color o textura.





MOD


DECORATIVE

COLECCIÓN DECORATIVE

Blackout Decorative


INICIO

MOD



ONIX 0-002-E5-00360

MOD



NACAR 0-002-E5-00260

DECORATIVE

MOD

VERTILUX
IDEAS PARA TU ESPACIO

PROPIEDADES TÉCNICAS

Composición	54% PES + 46% PES reciclado
Peso	203 g/m² ± 5%
Grosor	0.40 mm ± 5% | 0.015 in ± 5%
Ancho de rollo	2.5 m | 98 in
Largo de rollo	30 m | 32.80 yd
Resistencia a la luz ISO 105 B02:2002	5-6 Onix; 6 Nacar

CUIDADO Y MANTENIMIENTO

1. Aspirado para mantenimiento regular.
2. No lavar.
3. No exprimir.
4. No usar secadora o sistemas de vapor.
5. Limpie suavemente con una esponja húmeda.

MANUFACTURA

Fabricación en el sentido del rollo.

COLD

Corte en frío, No requiere corte ultrasónico.

CERTIFICACIONES INTERNACIONALES

CONFIDENCE IN TEXTILES
Tested for harmful substances according to Oeko-Tex® Standard 100 2005AN5584 AITEX

The Vertilux Collection posee las certificaciones más importantes de la industria. Sin embargo, algunas de ellas no aplican en todos los tejidos de nuestra colección. Por favor comuníquese a nuestro departamento de Servicio al Cliente para conocer sobre los diversos certificados disponibles para nuestros tejidos.

APLICACIONES

Persianas enrollables

Panel japonés

Únicamente para uso interior



IMPORTANTE: Los valores y recomendaciones de esta tarjeta no son contractuales y no pueden utilizarse como reclamación para cancelaciones o devoluciones de pedidos. Estos datos técnicos pueden variar con el tiempo sin previo aviso. Las muestras de color aquí presentadas pueden no ser exactas al material usado para producir su pedido. No serán aceptadas devoluciones por variación mínima de color o textura.




DAKU

DECO-STYLES


COLECCIÓN DECORATIVE

DAKU



SILVER 0-002-A9-00400

DAKU



WHITE 0-002-A9-00100

GREY 0-002-A9-00300



BEIGE 0-002-A9-00200

Blackout Decorative

INICIO

DECO-STYLES
DAKU

VERTILUX
IDEAS PARA TU ESPACIO

TECHNICAL PROPERTIES

Composition	100% PES
Weight	212 g/m² ± 5%
Thickness	0.42 mm ± 5%
Roll Width	2.65 m
UV Blockage	100 %
Light Fastness (Xenotest grade)	Coated Side: 6/8

SUN CONTROL PROPERTIES

COLOR	Tv (%)	Rv (%)	Av (%)
White	32	52	16
Beige	24	39	37
Grey	16	27	57
Silver	16	23	63
Brown	15	21	64
Marengo	12	18	70

CARE & MAINTENANCE



1. Vacuum clean for regular maintenance.
2. Do not wash.
3. Do not rub
4. Do not steam.
5. Do not dry clean.

MANUFACTURING



Use Only on Rroll Direction

Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS



The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS



Roller Shades

Sliding Panels

Indoor Use Only



IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.



ASPEN FR


URBAN-CHIC

COLECCIÓN DECORATIVE

Blackout Decorative

INICIO

ASPEN FR



ICE 0-002-05-00200

ASPEN FR

WHITE 0-002-05-00100



MUSHROOM 0-002-05-00300



GREIGE 0-002-05-00400

Blackout Decorative

INICIO

URBAN-CHIC

ASPEN FR

VERTILUX
IDEAS PARA TU ESPACIO

TECHNICAL PROPERTIES

Composition	100% PES
Weight	194.8 g/m² ± 5% | 5.74 oz/yd² ± 5%
Thickness	0.33 mm ± 5% | 0.012 in ± 5%
Roll Width	2.8 m | 110.2 in
Roll Length	40 m | 43.74 yd
Tensile Strength	Warp: 120 daN | Weft: 1400 daN
Light Fastness	4 Xenotest Grade

SUN CONTROL PROPERTIES*

UPF	+50 | UV-A: 0.1% | UV-B: 0.1%
UV-R Blocking	99.9%
UV-A Blocking	99.9%
UV-B Blocking	99.9%
Transmittance (Ts)	1.5%
Reflectance (Rs)	13.9%
Absorption (As)	84.6%

*Performance evaluations conducted by independent laboratories.

CARE & MAINTENANCE

1. Vacuum clean for regular maintenance.
2. Do not wash.
3. Do not wring dry.
4. Do not bleach.
5. Do not dry clean nor use steam cleaning.

MANUFACTURING

Use Only on Roll Direction

COLD
Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS

Roller Shades

Sliding Panels

Indoor Use Only

PBBs Free **PBDEs Free** **Lead Free**
Cadmium Free **Mercury Free** **Chromium Free**

IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order.





TOUAREG


DECO-STYLES

COLECCIÓN DECORATIVE

Blackout Decorative


INICIO

TOUAREG



GREY 0-002-16-00998

TOUAREG



WHITE 0-002-16-00198



SAND 0-002-16-00498



BEIGE 0-002-16-00298



STONE 0-002-16-01698

Blackout | Decorative

INICIO

DECO-STYLES

TOUAREG

VERTILUX
IDEAS PARA TU ESPACIO

TECHNICAL PROPERTIES

Composition	100% PES
Weight	White: 275 g/m² ± 10% | 8.11 oz/yd² ± 10% Other Colors: 308 g/m² ± 10% | 9.08 oz/yd² ± 10%
Thickness	White: 0.5 mm ± 5% | 0.020 in ± 5% Other Colors: 0.6 mm ± 5% | 0.024 in ± 5%
Roll Width	2.5 m | 98 in
Light Fastness	≥ 6 Xenotest Grade

*Performance evaluations conducted by independent laboratories.

SUNLIGHT CONTROL PROPERTIES

COLOR	Ts(%)	Rs(%)	As(%)
Beige	15	43	42
Grey	24	55	21
Sand	18	45	37
Stone	13	40	47
White	30	60	10

CARE & MAINTENANCE

1. Vacuum clean for regular maintenance.
2. Wipe gently with a wet sponge.
3. Do not wash.
4. Do not wring dry.
5. Do not bleach.
6. Do not dry clean nor use steam cleaning.

MANUFACTURING

Use Only on Roll Direction

COLD
Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS

Roller Shades

Sliding Panels

Indoor Use Only

IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.





XANDER


DECO-STYLES

COLECCIÓN DECORATIVE

Blackout Decorative

INICIO

XANDER



GREY 0-002-89-00400

XANDER



WHITE 0-002-89-00100



OFF WHITE 0-002-89-00200



IVORY 0-002-89-00300



SAND 0-002-89-00500

Blackout Decorative

INICIO

XANDER



CHARCOAL 0-002-89-00600

DECO-STYLES
XANDER

VERTILUX
IDEAS PARA TU ESPACIO

TECHNICAL PROPERTIES

Composition	100% PES
Weight	187.50 g/m² ± 5% | 5.53 oz/yd² ± 5%
Thickness	0.70 mm ± 5% | 0.027 in ± 5%
Roll Width	2.8 m | 110.2 in
Roll Length	40 m | 43.74 yd
Tensile Strength	Weft: 2753.0 daN/5cm
Tearing Strength	Weft: 41.7 daN
Light Fastness	4.5 Xenotest Grade

*Performance evaluations conducted by independent laboratories.

SUN CONTROL PROPERTIES*

UPF	50+ | UV-A: 6.2% | UV-B: 1.1%
UV-R Blocking	95.3%
UV-A Blocking	93.8%
UV-B Blocking	98.9%
Transmittance (Ts)	23.4%
Reflectance (Rs)	55.6%
Absorption (As)	21.0%

CARE & MAINTENANCE

1. Vacuum clean for regular maintenance.
2. Do not wash.
3. Do not wring dry.
4. Do not bleach.
5. Do not dry clean nor use steam cleaning.

MANUFACTURING

Use Only on Roll Direction

COLD

Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS

Roller Shades

Sliding Panels

Indoor Use Only

✓ PBBs Free ✓ PBDEs Free ✓ Lead Free
✓ Cadmium Free ✓ Mercury Free ✓ Chromium Free

IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order.





Copyright © 2023. Todos los derechos reservados.



SHANTUNG


DECO-STYLES

COLECCIÓN DECORATIVE

Blackout Decorative

INICIO

SHANTUNG




GREY 0-002-80-06098

SHANTUNG




COFFEE 0-002-80-03598



TAUPE 0-002-80-16098

WHITE 0-002-80-01098




BEIGE 0-002-80-03098

Blackout Decorative

INICIO

SHANTUNG



CUSTARD 0-002-80-02098

URBAN-CHIC
SHANTUNG

VERTILUX
IDEAS PARA TU ESPACIO

TECHNICAL PROPERTIES

Composition	100% PES
Weight	240 g/m² ± 5% | 7.08 oz/yd² ± 5%
Thickness	0.60 mm ± 5% | 0.024 in ± 5%
Roll Width	2.5 m | 98 in
Light Fastness	6-7/8 Xenotest Grade

*Performance evaluations conducted by independent laboratories.

SUNLIGHT CONTROL PROPERTIES

COLOR	Ts(%)	Rs(%)	As(%)
Beige	27	38	35
Butterscotch	18	36	46
Cocoa	10	17	73
Coffee	12	22	66
Coral	14	32	54
Custard	34	46	20
Fuchsia	32	14	54
Glacier Bay	26	40	34
Grey	20	28	52
Hyacinth	27	37	36
Navy	03	11	86
Salsa	01	17	82
Taupe	21	40	39
White	39	55	06
White Sandstone	27	42	31

CARE & MAINTENANCE



1. Vacuum clean for regular maintenance.
2. Do not wash.
3. Do not wring dry.
4. Do not bleach.
5. Do not dry clean nor use steam cleaning.

MANUFACTURING



Use Only on Roll Direction

Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS



Roller Shades

Sliding Panels

Indoor Use Only



IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.

Blackout | Decorative

INICIO

VERTILUX
IDEAS PARA TU ESPACIO



THE ROLLUX **BOOK**



IBIZA

DECO-STYLES

COLECCIÓN DECORATIVE

Blackout Decorative

INICIO

IBIZA



WHITE 0-002-53-01098

IBIZA



PECAN 0-002-53-02098



MAHOGANY 0-002-53-03098



GREY 0-002-53-04098

Blackout Decorative

INICIO

DECO-STYLES

IBIZA

VERTILUX
IDEAS PARA TU ESPACIO

TECHNICAL PROPERTIES

Composition	100% PES
Weight	220 g/m² ± 5% | 6.48 oz/yd² ± 5%
Thickness	0.48 mm ± 5% | 0.019 in ± 5%
Roll Width	2.5 m | 98 in
Light Fastness	6-7/8

*Performance evaluations conducted by independent laboratories.

SUNLIGHT CONTROL PROPERTIES

COLOR	Ts(%)	Rs(%)	As(%)
Grey	22	45	33
Mahogany	03	15	82
Pecan	08	30	62
White	30	62	08

CARE & MAINTENANCE

1. Vacuum clean for regular maintenance.
2. Do not wash.
3. Do not wring dry.
4. Do not bleach.
5. Do not dry clean nor use steam cleaning.

MANUFACTURING

Use Only on Roll Direction

COLD

Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

VERTILUX 5 YEARS

OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100
201706K1359 AITEX

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS

Roller Shades

Sliding Panels

Indoor Use Only

IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.





BIMINI


URBAN-CHIC

COLECCIÓN DECORATIVE

Blackout Decorative

INICIO

BIMINI



ASPHALT 0-002-18-01998

BIMINI


WHITE 0-002-18-00198

IVORY 0-002-18-0298


LINEN 0-002-18-00398

CAMEL 0-002-18-01198


BIMINI



LIGHT GREY 0-002-18-01898



ASH 0-002-18-00598



TAN 0-002-18-00898



STONE 0-002-18-00998

URBAN-CHIC
BIMINI

VERTILUX
IDEAS PARA TU ESPACIO

TECHNICAL PROPERTIES

Composition	100% PES
Weight	185 g/m² ± 5% | 5.46 oz/yd² ± 5%
Thickness	0.39 mm ± 5% | 0.015 in ± 5%
Roll Width	2.5 m | 98 in

*Performance evaluations conducted by independent laboratories.

CARE & MAINTENANCE

1. Vacuum clean for regular maintenance.
2. Do not wash.
3. Do not wring dry.
4. Do not bleach.
5. Do not dry clean nor use steam cleaning.

MANUFACTURING

Use Only on Roll Direction

COLD

Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS

The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS

Roller Shades

Sliding Panels

Indoor Use Only



IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.

VERTILUX
IDEAS PARA TU ESPACIO

THE ROLLUX **BOOK**

COLECCIÓN DECORATIVE

Vertilux México

Copyright © 2023. Todos los derechos reservados.



SOUTH BEACH


URBAN CHIC

COLECCIÓN DECORATIVE

Blackout Decorative

INICIO


SOUTH BEACH




PEARL 0-002-92-01598

SOUTH BEACH


WHITE 0-002-92-00198



BEIGE 0-002-92-00498



SAND 0-002-92-00598




STONE 0-002-92-01698

Blackout Decorative


INICIO

SOUTH BEACH


CUSTARD 0-002-92-00298



IVORY 0-002-92-00398



CHOCOLATE 0-002-92-00898



EBONY 0-002-92-01798

URBAN-CHIC

SOUTH BEACH

VERTILUX
IDEAS PARA TU ESPACIO

TECHNICAL PROPERTIES

Composition	100% PES
Weight	212 g/m² ± 5% | 6.25 oz/yd² ± 5%
Thickness	0.39 mm ± 5% | 0.015 in ± 5%
Yarn Account	Warp: 300 D | Weft: 300 D
Roll Width	2.5 m | 98 in
Coating Type	Acrylic transparent coating

*Performance evaluations conducted by independent laboratories.

CARE & MAINTENANCE



1. Vacuum clean for regular maintenance.
2. Do not wash.
3. Do not wring dry.
4. Do not bleach.
5. Do not dry clean nor use steam cleaning.

MANUFACTURING



Use Only on Roll Direction

Ultrasonic Cut NOT Required

INTERNATIONAL CERTIFICATIONS



The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS



Roller Shades

Sliding Panels

Indoor Use Only



IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.


Blackout | Decorative

INICIO

VERTILUX
IDEAS PARA TU ESPACIO



THE ROLLUX **BOOK**



THE ROLLUX **BOOK**

COLECCIÓN DECORATIVE

VERTILUX

IDEAS PARA TU ESPACIO

Queda prohibida la reproducción y/o edición parcial o total de este documento, ya sea en medios electrónicos, fotocopiado, escaneado o cualquier otro, sin el permiso previo y por escrito de Vertilux, así como Vertilux no se hace responsable por el mal uso de nuestro catálogo digital, el uso de copias en tejidos, mecanismos y perfiles de aluminio que no están avalados por la marca y todo uso de componentes ajenos invalida cualquier garantía parcial o total.

Copyright © 2023. Todos los derechos reservados.